



---

# MODIS Data Processing System

## MODAPS

Curt Tilmes

NASA Goddard Space Flight Center

Code 922, Greenbelt MD 20771

Phone: +1-301-614-5534 Fax: +1-301-614-5269

[Curt.Tilmes@gsfc.nasa.gov](mailto:Curt.Tilmes@gsfc.nasa.gov)

**Presented at the THIC Meeting at the Sheraton Barcelo  
in Annapolis MD 21401-3094 on May 9, 2001**

9 May 2001



The Premier Advanced Recording Technology Forum



# **MODIS Data Processing System MODAPS**

**Curt Tilmes**

**NASA Goddard Space Flight Center**

**Code 922, Greenbelt MD 20771**

**Phone: +1-301-614-5534 Fax: +1-301-614-5269**

**[Curt.Tilmes@gsfc.nasa.gov](mailto:Curt.Tilmes@gsfc.nasa.gov)**

**Presented at the THIC Meeting at the Sheraton Barcelo Annapolis Hotel**

**173 Jennifer Road, Annapolis MD 21401**

**on May 9, 2001**



# MODIS

---



- MODerate resolution Imaging Spectroradiometer
- Key instrument on EOS-Terra and EOS-Aqua Missions
- 36 spectral bands from the visible through thermal infrared
- Spatial resolution: 250m(2 bands), 500m(5 bands), 1km (29 bands)
- Nearly complete global coverage in 1 day, all of Earth in 2 days
- More than 40 earth science products including:
  - Sea Surface Temperature and Ocean Color, Cloud Properties and Aerosols, Land Surface Temperature, Vegetation Indices, Land Cover Change and Measures of Global Productivity



# Product Volumes


---



- Each MODIS instrument produces **70GB** of raw data per day
- Goddard Earth Sciences Distributed Active Archive Center (GES DAAC) produces calibrated radiance, cloud mask and earth location products (**295GB/day**) and ships them to MODAPS
- MODAPS (MODIS Data Production System) makes the MODIS higher level science products (**400GB/day**) and ships them to the MODIS Science Team and to 3 DAACs for public distribution
- In 2003, the MODIS Team has a goal of producing up to **8TB** of products per day and shipping **15TB** per day to the community
  - Current requirements are 3TB/day produced and 3TB shipped
  - USGS EROS Data Center ships 55GB of Landsat 7 ETM+ scenes per day




# Data Product Flow





# At Launch System






# Process Flow




MODIS SDP S/W System

01  
MODIS SDP S/W System





# Level 2



Browse image of MODIS daily Surface Reflectance product (Data day: A3301825)

Browse image created on April 11, 2001 at 20:11:02Z

MODIS

9 May 2001

THIC Meeting, Annapolis, MD - 8



# Level 2 Production


---



- 7 Level 2 PGEs
- Input 5 minute granules, output 5 minute granules
- 288 x 5 minute granules per day
- 144 day-mode, 144 night-mode executions
- Input ~730MB per 5 minutes
- Output ~580MB day-mode and 175MB night mode
- Around an hour of processing time for 5 minutes of data
- Very suited to distributed processing



# Land Gridded Production




9 May 2001

THIC Meeting, Annapolis, MD - 10



# Distributed Architecture





# Distributed Architecture

---



- Much cheaper per processor cost for 2p nodes than central node
- Local disk space on processing nodes
- Copy input files down through Multiple Gigabit Ethernet to switched 100BaseT
  - ~10MB/s, rcp in less than 2 minutes
- Read input files once on central node, then read repeatedly locally
- Process locally for a while, then copy outputs back to central node.
- 2GB RAM per node, caching benefit



# Online Disk

---



- At launch 10TB of LSI Logic Metastor (1 Filesystem!)
- Added Data Direct San Data Director
- Connected through 8 Host Fibre Channel Interfaces
- 20 Drive Fibre Channel Interfaces
- Dual 8+1 RAID, plus 2 spares channels
- Currently 35TB on primary host
- Soon another 28TB on reprocessing host
- ~70TB total online
- Split into 1TB per filesystem.
- Database tracks location of each file.



# Nearline Tape

---



- ADIC Scalar 1000 with 12 AIT-2 drives on both primary and reprocessing system. 1182 tapes per jukebox.
- Connected via Chapparral Fibre Channel to SCSI bridges
- 50GB native, ~100GB with 2/1 compression
- 6MB/s native, we see 5-10MB/s
- About 2TB/day transfer to/from tape possible
- Retrieves take time mounting tapes, searching
- Not enough – adding another 12 drives to each jukebox.
- Driven by homegrown database driven scripts calling Legato Networker Archive Option



# Summary

---



- With Aqua launching soon, and reprocessing needs growing, we need to continue scaling the whole system.
- Commodity Linux processors have good bang/\$
- All Level 2 and 2G processes ported to Linux/Intel
- HIPPI link to DAACs  $\sim 75\text{MB/s} = 6\text{TB/day}$  per system, Two systems (processing and reprocessing).
- DAACs have a big job scaling enough to meet long term archive and distribution needs
- <http://modis.gsfc.nasa.gov>



# MODIS Sample Images




9 May 2001

THIC Meeting, Annapolis, MD - 16



## 250M vs. 1KM



9 May 2001

THIC Meeting, Annapolis, MD - 17



# 16day 500M NDVI Composite




TBRS, University of Arizona, 2000

9 May 2001

THIC Meeting, Annapolis, MD - 18



# Fire Detection



9 May 2001

THIC Meeting, Annapolis, MD - 19